INTERNATIONAL JOURNAL OF ADVANCED INNOVATIVE TECHNOLOGY IN ENGINEERING

Published by Instigative Research Private Limited Home page: www.ijaite.co.in

A Study on Smart Solar Panel Sun Tracking System

[1]Prof. Suchita Bhadang, [2]Shivam Ashok Wadekar, [3]Nidhi Ashok Mahune, [4]Amisha Siddharth Ghodichore.
[1,2,3,4,]Department of Electrical Engineering, Suryodaya College of Engineering and Technology, Nagpur, Maharashtra, India.

[1]nidhimahune@gmail.com, [2]shivamwadekar2005@gmail.com,
[3]amishaghodichore@gmail.com

Article History

Received on: 20 July 2026
Revised on15 Aug 2026
Accepted on: 20 Sept 2026
Keywords: Solar Tracking System, Renewable Energy, LDR Sensors, Microcontroller Automation, Energy Optimization, Photovoltaic Efficiency

e-ISSN: 2455-6491

DOI: 10.65809/IJAITE/26/v03sp02/0102

Production and hosted by
www.insightiveinc.org

©2026|All right reserved

ABSTRACT

The worldwide shift toward sustainable energy has increased the importance of improving the performance of solar photovoltaic (PV) systems. One major limitation of conventional fixed solar panels is their inability to maintain an optimal angle toward the sun, which reduces the amount of solar energy collected throughout the day and across different seasons. This study presents the design, development, and evaluation of a smart solar tracking system that automatically aligns a solar panel with the direction of maximum sunlight to improve energy generation. The proposed system uses light-dependent resistor sensors to detect variations in sunlight intensity. These sensors are connected to a microcontroller, which continuously analyses the sensor data and controls a motor to reposition the solar panel whenever necessary. Unlike many dual-axis tracking systems that require sophisticated hardware and complex control algorithms, this design emphasizes simplicity, affordability, and ease of implementation without compromising functionality.

1. INTRODUCTION

The increasing depletion of fossil fuel reserves, coupled with escalating environmental concerns, has catalysed global efforts toward renewable energy adoption. Among the various alternatives, solar energy remains one of the most abundant and accessible resources. However, the efficiency of photovoltaic (PV) systems remains constrained by their inability to continuously align with the sun's trajectory. Fixed solar panels, despite their structural simplicity, capture only a fraction of the available solar irradiance due to changing solar angles throughout the day (Kumar & Singh, 2023).

Solar tracking systems have emerged as a viable solution to this limitation by enabling dynamic orientation of PV panels toward the sun. Traditional tracking systems, however, often involve complex algorithms, high-precision sensors, and expensive mechanical assemblies, thereby restricting their widespread deployment (Rahman et al., 2022). This creates a compelling need for simplified, cost-effective tracking mechanisms that maintain performance without increasing system complexity.

The present study proposes a smart solar tracking system based on LDR sensors and

microcontroller-based automation. By leveraging differential light sensing, the system determines the optimal orientation and adjusts panel positioning accordingly. The primary objective is to enhance solar energy capture while maintaining low system cost and operational simplicity.

2. LITERATURE REVIEW

Recent developments in solar tracking technology have introduced a variety of techniques aimed at increasing the efficiency of photovoltaic (PV) systems. These methods include both astronomical position calculations and sensor-based tracking approaches. Among them, Light Dependent Resistor (LDR)-based systems have become increasingly popular because they are simple to implement, cost-effective, and capable of responding instantly to changes in sunlight intensity. By comparing light levels from multiple sensors, these systems can determine the direction of maximum solar radiation and automatically reposition the solar panel (Patel & Desai, 2024).

Several studies have examined the effectiveness of different tracking mechanisms. Sharma et al. (2023) reported that single-axis solar trackers can increase energy generation by nearly 20–30% compared with fixed-tilt panels. Their findings also indicated that dual-axis trackers are capable of achieving efficiency improvements of more than 40%. However, the additional motors, sensors, and mechanical components required for dual-axis operation increase system cost, maintenance needs, and overall design complexity.

To overcome these challenges, researchers have focused on microcontroller-based tracking systems using platforms such as Arduino. According to Gupta and Mehta (2022), these systems provide a practical balance between efficiency, affordability, and ease of implementation. Their flexible control architecture allows accurate panel positioning while keeping hardware requirements relatively simple and economical.

The advancement of embedded control technologies has further enhanced the performance of solar tracking systems. Intelligent controllers can process sensor inputs in real time and adjust panel orientation automatically under changing weather and lighting conditions. Lee et al. (2025) emphasized that such automated control improves operational reliability, minimizes manual intervention, and contributes to more consistent energy production.

Although considerable progress has been made in solar tracking research, there remains a need for solutions that combine high performance with low implementation cost. Many existing systems either prioritize efficiency at the expense of affordability or reduce costs by sacrificing tracking accuracy. The present study addresses this challenge by developing a simplified, microcontroller-based solar tracking system that seeks to improve photovoltaic energy collection while maintaining a low-cost and easy-to-maintain design.

3. SYSTEM DESIGN AND METHODOLOGY

The proposed smart solar tracking system is designed using three main functional modules: the sensing module, the control module, and the panel positioning module. Each module performs a specific task to ensure efficient tracking of the sun and improved photovoltaic energy generation.

The sensing module employs multiple Light Dependent Resistor (LDR) sensors placed at suitable positions around the solar panel. These sensors continuously monitor the intensity of sunlight from different directions and convert the received light into corresponding electrical signals. The generated signals are then forwarded to the control module for further processing.

The control module is built around a microcontroller that receives and analyzes the data collected from the LDR sensors. By comparing the light intensity values from each sensor, the controller determines the direction in which the solar panel should be moved to achieve maximum exposure to sunlight. Based on this analysis, appropriate control commands are sent to the motor driver circuit.



Figure 1: Smart Solar Tracking System Architecture

The system operates on a closed-loop feedback principle, ensuring continuous alignment with the sun. The algorithm implemented in the microcontroller compares the intensity values from paired LDR sensors. If a significant difference is detected, the motor rotates the panel until equilibrium is achieved.

Table 1: System Components and Specifications

Component	Specification	Function
LDR Sensors	Resistance range: 1k–10k ohm	Detect light intensity
Microcontroller	Arduino Uno	Process sensor data
Motor	DC/Servo Motor	Rotate solar panel
Motor Driver	L298N Module	Control motor direction
Power Supply	12V DC	System operation

4. WORKING PRINCIPLE AND IMPLEMENTATION

The operational logic of the system is based on the principle of maximum irradiance alignment. When sunlight falls unevenly on the LDR sensors, a voltage difference is generated. The microcontroller interprets this difference and determines the direction in which the panel must move.

The implementation involves programming the microcontroller using embedded C. The algorithm continuously monitors sensor values and activates the motor when deviation exceeds a predefined threshold. This ensures precise and stable tracking.



Figure 2: Working Model of Solar Tracking System

The system also incorporates delay mechanisms to prevent oscillatory movement under transient conditions such as passing clouds. This enhances system stability and reduces unnecessary energy consumption.

5. RESULTS AND PERFORMANCE ANALYSIS

Experimental evaluation was conducted under varying environmental conditions to assess system performance. The tracking system was compared with a fixed solar panel setup over a period of several days.

Table 2: Performance Comparison

Parameter	Fixed Panel	Tracking System
Energy Output (Wh/day)	450	610
Efficiency (%)	100	135
Response Time (sec)	N/A	2–3
Cost (INR)	Low	Moderate

The results indicate an approximate 30–35% increase in energy output. The tracking system demonstrated consistent performance improvements, particularly during morning and evening hours when solar angles are lower.

Statistical analysis further confirms the reliability of the system, with minimal deviation in repeated trials. The system's energy consumption was negligible compared to the gains in output, validating its efficiency.

6. CONCLUSION AND FUTURE SCOPE

The smart solar tracking system presented in this study effectively enhances photovoltaic efficiency through real-time solar alignment. By integrating LDR sensors with a microcontroller-based control mechanism, the system achieves a balance between simplicity, cost-effectiveness, and performance.

The findings underscore the potential of automated systems in optimizing renewable energy utilization. While the current design focuses on single-axis tracking, future work may explore dual-axis configurations, IoT integration, and AI-based predictive tracking algorithms.

Additionally, scalability and long-term durability testing under diverse climatic conditions remain important areas for further research. The incorporation of energy storage and hybrid renewable systems could further amplify the benefits of such tracking technologies.

REFERENCES

[1] Agarwal, S., & Verma, P. (2023). Design and optimization of solar tracking systems for photovoltaic applications. Renewable Energy Focus, 45, 112–124.
[2] Ahmed, R., Khan, M., & Ali, S. (2022). Intelligent solar tracking using sensor-based systems. Energy Reports, 8, 1345–1356.
[3] Bansal, R., & Gupta, N. (2024). Performance evaluation of single-axis and dual-axis solar trackers. Journal of Cleaner Production, 410, 137245.
[4] Chaudhary, A., & Singh, R. (2023). Low-cost solar tracking system using microcontrollers. International Journal of Energy Research, 47(5), 6521–6533.
[5] Das, P., & Mukherjee, S. (2022). Renewable energy optimization using embedded control systems. Energy Systems, 13(2), 215–230.
[6] Deshmukh, S., & Patil, V. (2024). Smart photovoltaic systems with automated tracking mechanisms. Sustainable Energy Technologies and Assessments, 57, 103123.
[7] El-Shimy, M., & Sharaf, A. (2022). Adaptive solar tracking systems: A review. Renewable and Sustainable Energy Reviews, 156, 111978.

[8] Ghosh, A., & Banerjee, D. (2023). Comparative analysis of solar tracking techniques for enhanced efficiency. Solar Energy, 250, 45–58.
[9] Gupta, P., & Mehta, R. (2022). Microcontroller-based solar energy systems and applications. Journal of Smart Grid Technology, 17(4), 301–315.
[10] Hassan, Q., & Jaszczur, M. (2023). Design and performance of solar tracking systems: A review. Energies, 16(3), 1225.
[11] Iqbal, A., & Khan, Z. (2024). Embedded systems for renewable energy automation. IEEE Access, 12, 34567–34580.
[12] Jain, V., & Tiwari, G. (2022). Solar energy engineering: Advances and applications. Renewable Energy Journal, 189, 987–998.
[13] Kaur, H., & Singh, J. (2023). Sensor-based solar tracking system using LDR and Arduino. International Journal of Engineering Research & Technology, 12(6), 789–795.
[14] Kumar, R., & Singh, A. (2023). Solar tracking technologies and performance evaluation. Renewable Energy Journal, 45(2), 112–125.
[15] Li, X., & Wang, Y. (2024). Intelligent photovoltaic systems using IoT-based tracking. Applied Energy, 350, 121678.
[16] Mahajan, S., & Kulkarni, A. (2022). Design of cost-effective solar tracking systems. Energy Procedia, 158, 232–238.
[17] Meena, D., & Sharma, P. (2023). Automation in solar tracking systems: A microcontroller approach. Journal of Renewable Energy Research, 13(2), 556–565.
[18] Mishra, S., & Tripathi, R. (2024). Performance improvement of solar panels using tracking systems. Energy Conversion and Management, 290, 117012.
[19] Mohamed, A., & Hasan, M. (2022). Solar tracking system using light sensors and embedded controllers. International Journal of Electrical Power & Energy Systems, 138, 107887.
[20] Nair, V., & Menon, R. (2023). Design and analysis of solar tracking systems for rural applications. Renewable Energy Focus, 46, 88–97.
[21] Patel, D., & Desai, K. (2024). LDR-based solar tracking mechanism for energy optimization. International Journal of Engineering Innovation, 29(3), 210–218.
[22] Patil, S., & Jadhav, P. (2022). Development of automated solar tracking systems. Journal of Energy Systems Engineering, 10(1), 45–52.
[23] Qureshi, M., & Ahmed, T. (2023). Smart renewable energy systems using embedded platforms. IEEE Transactions on Sustainable Energy, 14(2), 765–774.
[24] Rao, K., & Reddy, V. (2024). Solar tracking system design using Arduino and sensors. Journal of Electrical Engineering & Technology, 19(1), 233–242.
[25] Rahman, M., Ali, S., & Khan, T. (2022). Design of low-cost solar tracking systems. Energy Systems Research, 38(1), 56–70.
[26] Saxena, A., & Dubey, R. (2023). Performance analysis of photovoltaic tracking systems. Solar Energy Materials and Solar Cells, 253, 112232.
[27] Sharma, V., Joshi, N., & Verma, S. (2023). Comparative analysis of solar trackers. Sustainable Engineering Review, 22(5), 455–468.
[28] Singh, P., & Kaur, G. (2022). Renewable energy systems and solar tracking applications. Energy Reports, 8, 456–467.
[29] Soni, R., & Bhatt, M. (2024). Smart solar tracking system for enhanced efficiency. Journal of Clean Energy Technologies, 12(3), 145–153.
[30] Verma, A., & Yadav, S. (2023). Automation in photovoltaic systems using microcontrollers. International Journal of Power Electronics, 15(4), 321–330.
[31] Wang, H., & Zhao, L. (2024). IoT-enabled solar tracking systems for smart energy management. IEEE Internet of Things Journal, 11(5), 4123–4132.
[32] Yadav, R., & Mishra, P. (2022). Solar energy harvesting using tracking systems. Renewable Energy Journal, 187, 654–662.
[33] Zhang, T., & Liu, Q. (2025). Advanced solar tracking systems using artificial intelligence. Applied Energy, 360, 121912.