INTERNATIONAL JOURNAL OF ADVANCED INNOVATIVE TECHNOLOGY IN ENGINEERING

Published by Instigative Research Private Limited Home page: www.ijaite.co.in

Design and Development of a Smart Railway Track Crack Detection and Alert System using Sensor-Based Technology

[1]Nandakishor Dhapodkar, [2]Nehal Shriram Agre, [3]Dhanvir Matare, [4]Hiteshwari Humane, [5]Snehal Ghansham Wasekar

[1,2,3,4,5]Department of Electrical Engineering, Suryodaya College of Engineering and Technology, Nagpur, Maharashtra, India

[1]dhapodkarnand@gmail.com, [2]nehalagre@gmail.com,
[3]dhanvirmatare@gmail.com, [4]hiteshwarihumane388@gmail.com,
[5]snehalwasekar87@gmail.com

Article History

Received on: 20 July 2026
Revised on15 Aug 2026
Accepted on: 20 Sept 2026
Keywords: Railway Safety, Crack Detection, Sensor System, Microcontroller, Wireless Alert System

e-ISSN: 2455-6491

DOI: 10.65809/IJAITE/26/v03sp02/084

Production and hosted by
www.insightiveinc.org

©2026|All right reserved

ABSTRACT

Railway safety is a critical issue as unprotected cracks and structural failures can lead to serious accidents and service disruptions. Traditional monitoring methods are often manual, time-consuming, and less reliable for continuous monitoring. The main objective is to design an automated system capable of detecting cracks and sending warnings in real time to prevent accidents and ensure railway safety. The proposed method integrates vibration sensors, infrared sensors, and microcontroller-based control units to continuously monitor track conditions. Simulation and prototype tests are used to verify the system performance under different fault conditions. The study provides a reliable and cost-effective framework for implementing automated monitoring systems at railways, increasing safety, reducing manual monitoring efforts, and improving real-time fault detection capabilities in railway infrastructure.

1. INTRODUCTION

Railway transportation remains one of the most critical infrastructural backbones for developing and developed economies alike. In countries such as India, where rail networks span vast geographical terrains and carry millions of passengers daily, ensuring track integrity is not merely a technical requirement but a public safety imperative. Despite continuous advancements in monitoring technologies, track failures—especially cracks and fractures—continue to be a significant cause of derailments and operational hazards. These failures are often subtle in their early stages, making them difficult to detect through traditional inspection methods, which are largely manual and periodic in nature.

The increasing demand for automation in infrastructure monitoring has led to the exploration of embedded systems capable of real-time fault detection. Unlike conventional inspection approaches, embedded solutions can operate continuously, offer rapid response mechanisms, and significantly reduce human dependency. This study proposes a robust embedded system architecture designed specifically for automated railway track crack detection, coupled with an intelligent safety notification mechanism.

The novelty of the present work lies in integrating sensing, processing, and communication into a compact, energy-efficient platform capable of functioning in diverse environmental conditions. The system leverages sensor fusion techniques, microcontroller-based processing, and wireless communication modules to ensure accurate detection and timely alert dissemination. By addressing both detection accuracy and communication reliability, the proposed system attempts to bridge the gap between theoretical designs and practical field implementation.

2. LITERATURE REVIEW

The domain of railway track monitoring has witnessed significant evolution over the last decade, particularly with the emergence of embedded systems, Internet of Things (IoT), and machine learning technologies. Recent studies emphasize the limitations of manual inspection methods, which are not only time-consuming but also prone to human error. Automated systems, therefore, have gained prominence as viable alternatives.

Acoustic emission-based detection systems have been explored for identifying micro-cracks in rails. While these systems demonstrate high sensitivity, their performance often deteriorates under noisy environmental conditions (Patel et al., 2023). Similarly, ultrasonic inspection methods have been widely adopted; however, they require sophisticated equipment and are not always suitable for continuous monitoring applications (Li et al., 2022).

Embedded sensor-based approaches, particularly those using vibration and infrared sensors, have shown promise due to their simplicity and cost-effectiveness. Infrared-based systems detect discontinuities in track alignment, whereas vibration sensors capture abnormal oscillatory patterns indicative of structural defects (Sharma & Verma, 2022). However, relying on a single sensing modality often results in reduced detection accuracy.

Recent research has increasingly focused on multi-sensor integration. Systems combining ultrasonic, infrared, and accelerometer sensors have demonstrated improved reliability, as they compensate for individual sensor limitations (Rao et al., 2024). Furthermore, wireless communication technologies such as GSM, LoRa, and ZigBee have been integrated for real-time alert transmission.

Despite these advancements, challenges persist in achieving a balance between system robustness, cost efficiency, and scalability. Many existing systems either lack real-time communication capabilities or fail to operate effectively under varying environmental conditions. This study addresses these gaps by proposing a hybrid embedded architecture that integrates detection and notification mechanisms seamlessly.

3. SYSTEM ARCHITECTURE AND DESIGN METHODOLOGY

The proposed system is structured around three core functional modules: sensing, processing, and communication. Each module is designed to operate cohesively, ensuring accurate detection and rapid response.

A. Sensing Module

The sensing subsystem incorporates a combination of infrared sensors and vibration sensors. Infrared sensors are strategically positioned to detect discontinuities in the rail surface, while vibration sensors monitor dynamic responses generated by passing trains. The fusion of these sensors enhances detection accuracy by capturing both structural and dynamic anomalies.

B. Processing Unit

At the core of the system lies a microcontroller-based processing unit, responsible for interpreting sensor data and executing decision-making algorithms. The microcontroller processes real-time inputs and compares them against predefined thresholds to identify potential cracks.

C. Communication System

Upon detecting a fault, the system activates a GSM module to transmit alerts to railway authorities. The notification includes precise location data, enabling rapid response and preventive action.



Figure 1: Conceptual Architecture of Proposed System

Table 1: Components and Specifications of Proposed System

Component	Function	Specification
Microcontroller	Data processing	Arduino/ARM Cortex
IR Sensor	Crack detection	Range: 2–30 cm
Vibration Sensor	Structural anomaly detection	Sensitivity: High
GSM Module	Communication	SIM800/900 compatible
Power Supply	System operation	5V–12V regulated

4. IMPLEMENTATION AND EXPERIMENTAL ANALYSIS

The system was implemented using an Arduino-based microcontroller platform due to its flexibility and ease of integration. Sensors were mounted on a prototype rail track setup, and controlled cracks were introduced to evaluate system performance.

The experimental procedure involved multiple test scenarios, including static and dynamic conditions. Under static conditions, the system demonstrated high sensitivity in detecting cracks larger than 2 mm. dynamic testing, conducted with simulated train movement, revealed that vibration-based detection significantly enhanced reliability.

The communication module successfully transmitted alerts within a latency of less than 5 seconds, ensuring timely notification. Data analysis indicated that combining sensor outputs reduced false positives by approximately 18% compared to single-sensor systems (Gupta et al., 2023).



Figure 2: Experimental Setup and Detection Process

Table 2: Performance Evaluation Metrics

Parameter	Value Achieved
Detection Accuracy	92.5%
False Positive Rate	6.2%
Communication Delay	<5 seconds
Power Consumption	Low (optimized)

5. RESULTS AND DISCUSSION

The results obtained from the experimental analysis highlight the effectiveness of the proposed embedded system in detecting railway track cracks with high accuracy. The integration of multiple sensors significantly improved detection reliability, particularly under dynamic conditions. One of the critical observations was the reduction in false positives, which is a common issue in single-sensor systems. By employing sensor fusion, the system was able to validate anomalies across multiple data streams, thereby enhancing decision accuracy. Furthermore, the communication module demonstrated consistent performance, ensuring that alerts were transmitted without delay.

The system's energy efficiency is another notable advantage, making it suitable for deployment in remote areas where power availability may be limited. Compared to existing solutions, the proposed system offers a balanced combination of cost-effectiveness, scalability, and reliability.

However, certain limitations were identified. Environmental factors such as extreme weather conditions can influence sensor performance. Future work may focus on incorporating machine learning algorithms to further enhance detection accuracy and adaptability (Mehta & Joshi, 2024).

CONCLUSION

The study presents a comprehensive embedded system solution for automated railway track crack detection and safety notification. By integrating sensor fusion, microcontroller-based processing, and real-time communication, the proposed system addresses critical challenges associated with traditional inspection methods. The experimental results validate the system's effectiveness in achieving high detection accuracy and rapid response times. The ability to operate continuously and autonomously makes it a viable solution for large-scale railway networks. Future research directions may include the integration of IoT platforms, cloud-based analytics, and predictive maintenance models to further enhance system capabilities. The adoption of such technologies has the potential to transform railway safety management, reducing accidents and improving operational efficiency.

REFERENCES

[1] Agarwal, P., & Mishra, S. (2023). Data-driven safety models for intelligent railway infrastructure monitoring. IEEE Access, 11, 45782–45795.

[2] Bansal, T., & Kaur, R. (2022). Design and implementation of GSM-based embedded communication systems for safety applications. International Journal of Electronics and Communications, 146, 154106.

[3] Bhattacharya, D., & Sen, A. (2022). Advanced sensing technologies for structural fault detection in transportation networks. Sensors, 22(18), 6912.

[4] Bose, A., & Chatterjee, S. (2023). Smart infrastructure solutions using embedded systems and IoT integration. Journal of Smart Cities, 9(2), 233–249.

[5] Choudhary, P., & Tiwari, V. (2022). IoT-enabled railway track monitoring and accident prevention systems. Journal of Transportation Engineering, Part A: Systems, 148(6), 04022032.

[6] Das, M., & Roy, S. (2022). Railway fault detection systems: A review of sensor-based approaches. Engineering Failure Analysis, 138, 106312.

[7] Desai, R., & Shah, N. (2022). Embedded hardware optimization for low-power safety-critical systems. Microprocessors and Microsystems, 90, 104451.

[8] Ghosh, S., & Mukherjee, P. (2024). Framework for intelligent railway safety systems using hybrid embedded architectures. Transportation Research Part C: Emerging Technologies, 155, 104305.

[9] Gupta, N., Sharma, P., & Verma, R. (2023). Performance evaluation of embedded railway safety monitoring systems. Journal of Rail Transport Planning & Management, 25, 100340.

[10] Iyer, S., & Nair, R. (2023). Microcontroller-based automation systems for infrastructure safety. International Journal of Automation and Computing, 20(3), 456–469.

[11] Jain, R., & Kulkarni, P. (2024). Sensor technologies for next-generation infrastructure monitoring systems. IEEE Sensors Journal, 24(5), 5120–5132.

[12] Joshi, M., & Patil, S. (2023). Real-time communication systems for embedded safety applications. Wireless Networks, 29(4), 1891–1905.

[13] Kamble, S., & Pawar, A. (2022). Challenges in railway infrastructure safety and maintenance in developing countries. Case Studies on Transport Policy, 10(2), 1123–1132.

[14] Khan, S., Ahmad, Z., & Ali, M. (2024). Real-time monitoring systems for critical infrastructure using embedded IoT platforms. Future Generation Computer Systems, 150, 221–234.

[15] Kulkarni, P., & Deshmukh, A. (2023). Embedded system design methodologies for industrial automation. IEEE Transactions on Industrial Informatics, 19(7), 7890–7901.

[16] Kumar, R., & Singh, P. (2023). Embedded monitoring systems for railway safety applications. Journal of Transportation Safety & Security, 15(4), 521–538.

[17] Li, H., Zhang, Y., & Chen, X. (2022). Ultrasonic inspection techniques for railway track crack detection. NDT & E International, 128, 102632.

[18] Malik, H., & Arora, K. (2024). Fault detection algorithms for structural monitoring systems. Structural Health Monitoring, 23(2), 845–861.

[19] Mehta, D., & Joshi, A. (2024). Artificial intelligence in railway safety systems: A review. Artificial Intelligence Review, 57, 10245–10268.

[20] Menon, K., & Krishnan, R. (2024). Automation trends in railway infrastructure and safety management. Journal of Advanced Transportation, 2024, 8876543.

[21] Nair, V., & Pillai, G. (2024). Structural monitoring technologies for smart transportation systems. Smart Materials and Structures, 33(1), 015012.

[22] Pandey, A., & Srivastava, R. (2023). Reliability analysis of railway monitoring systems using embedded platforms. Reliability Engineering & System Safety, 233, 109120.

[23] Patel, A., Shah, D., & Mehta, P. (2023). Acoustic emission-based crack detection in railway tracks. Mechanical Systems and Signal Processing, 182, 109523.

[24] Rao, K., Reddy, P., & Naidu, V. (2024). Multi-sensor fusion systems for railway track monitoring. IEEE Transactions on Instrumentation and Measurement, 73, 1–11.

[25] Reddy, P., & Kumar, S. (2022). Sensor integration techniques for structural monitoring applications. Measurement, 194, 110978.

[26] Saxena, D., & Verma, K. (2024). Automation in transportation systems: Emerging trends and challenges. Transport Reviews, 44(2), 310–329.

[27] Sharma, V., & Verma, S. (2022). Infrared sensing for railway track monitoring systems. Optik, 256, 168701.

[28] Singh, R., Yadav, K., & Chauhan, N. (2023). Smart railway infrastructure monitoring using embedded systems. Journal of Intelligent Transportation Systems, 27(5), 567–581.

[29] Thakur, R., & Dubey, A. (2024). Intelligent transport systems for enhanced railway safety. IEEE Intelligent Transportation Systems Magazine, 16(1), 72–85.

[30] Tripathi, S., & Mishra, A. (2023). Innovations in railway inspection systems. Engineering Science and Technology, an International Journal, 38, 101285.

[31] Verma, A., & Gupta, S. (2023). Wireless communication technologies in embedded safety systems. Ad Hoc Networks, 140, 103036.

[32] Yadav, K., & Singh, M. (2022). Safety mechanisms in modern railway systems. Safety Science, 150, 105702.

[33] Zhang, Y., Li, H., & Wang, X. (2022). Intelligent railway inspection systems using embedded technologies. IEEE Transactions on Intelligent Transportation Systems, 23(9), 15234–15245.